
SouthernBiotech



Mouse Anti-Hamster IgG₂/IgG₃

Cat. No.	Format	Size
1935-01	Purified (UNLB)	0.5 mg
1935-02	Fluorescein (FITC)	0.5 mg
1935-05	Horseradish Peroxidase (HRP)	1.0 mL
1935-08	Biotin (BIOT)	0.5 mg
1935-09	R-phycoerythrin (PE)	0.1 mg



FLISA plate was coated with purified hamster IgG₁, IgG₂, and IgG₃. Immunoglobulins were detected with serially diluted Mouse Anti-Hamster IgG₂/IgG₃-PE (SB Cat. No. 1935-09).

Overview

Clone SB139e

 $\begin{array}{ll} \textbf{Isotype} & \textbf{Mouse (BALB/c) IgG}_{1K} \\ \textbf{Immunogen} & \textbf{Armenian hamster IgG} \\ \textbf{Specificity} & \textbf{Armenian IgG}_2 \ \textbf{and IgG}_3 \\ \end{array}$

Applications

ELISA – Quality tested ¹ FLISA – Quality tested FC – Quality tested

Working Dilutions

ELISA	Purified (UNLB) antibody	≤ 1 μg/mL	
	HRP conjugate	1:4,000 - 1:8,000	
	BIOT conjugate	1:5,000 — 1:10,000	
FLISA	FITC conjugate	1:200 – 1:400	
	PE conjugate	≤ 1 μg/mL	
Flow Cytometry	FITC conjugate	\leq 1 μ g/10 ⁶ cells	
	PE conjugate	$\leq 0.1 \ \mu g/10^6 \text{ cells}$	
	For flow cytometry, the suggested use of these reagents is in a final volume of 100 μL		
Other Applications	Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.		

For Research Use Only. Not for Diagnostic or Therapeutic Use.

Handling and Storage

- The purified (UNLB) antibody is supplied as 0.5 mg of purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added. Store at 2-8°C.
- The fluorescein (FITC) conjugate is supplied as 0.5 mg in 1.0 mL of PBS/NaN₃. Store at 2-8°C.
- The horseradish peroxidase (HRP) conjugate is supplied as 1.0 mL in a stock solution of 50% glycerol/50% PBS, pH 7.4. No preservative added. Store at 2-8°C or long-term at -20°C.
- The biotin (BIOT) conjugate is supplied as 0.5 mg in 1.0 mL of PBS/NaN₃. Store at 2-8°C.
- The R-phycoerythrin (PE) conjugate is supplied as 0.1 mg in 1.0 mL of PBS/NaN₃ and a stabilizing agent. Store at 2-8°C. **Do not freeze!**
- Protect fluorochrome-conjugated forms from light. Reagents are stable for the period shown on the label if stored as directed.

Warning

Some reagents contain sodium azide. Please refer to product specific SDS.

References

 Ploquin A, Szécsi J, Mathieu C, Guillaume V, Barateau V, Ong KC, et al. Protection against henipavirus infection by use of recombinant adenoassociated virus-vector vaccines. J Infect Dis. 2013;207:469-78. (ELISA)

> TB1935 31<u>-Aug-20</u>

Email: info@southernbiotech.com • Website: www.southernbiotech.com